

AquaBubble™ 6AB Water Softener.

The AquaBubble™ 6AB Softener removes Hardness, Iron and Manganese

Benefits of Having Soft Water:

- Prevention of scale will result in longer lasting plumbing fixtures and appliances including your water heater and dishwasher, lasting up to 1/3 longer
- Water heater efficiency will increase by up to 29%
- Softer Hair and Skin
- Cleaner, brighter and longer lasting clothes
- Less soap scum buildup in the bathroom and kitchen

Standard Equipment Includes:

- WS1CS Control Valve
- Bypass Valve (Bypass connections sold separately, see page 3)
- High Capacity Ion Exchange Resin Media
- Fiberglass Mineral Tank
- Full 1" Internal Piping
- 18"x 33" Brine Tank
- Reliable automatic backwashing control valve, capable of being custom tailored to your specific application.
- All accessories for installing the 6AB unit and brine tank

Dimensions:

| Model | A | В | С | D |
|-----------|----|----|----|----|
| 6AB30-2M | 55 | 9 | 48 | 50 |
| 6AB45-2M | 61 | 10 | 54 | 56 |
| 6AB60-2M | 59 | 12 | 52 | 54 |
| 6AB75-2M | 62 | 13 | 54 | 56 |
| 6AB90-2M | 72 | 14 | 65 | 67 |
| 6AB120-2M | 72 | 16 | 65 | 67 |

- A= Overall height in inches
- B= Tank diameter in inches
- C= Tank height in inches
- D= Inlet height in inches

Specifications:

| Model | Mineral Volume (Ft.3) | Peak Flow (GPM) | Backwash Rate (GPM) | Shipping Weight (Lbs) |
|-----------|--------------------------|--------------------|------------------------|--------------------------|
| 6AB30-2M | 1 | 7 | 2.0 | 90 |
| 6AB45-2M | 1.5 | 9 | 2.4 | 120 |
| 6AB60-2M | 2 | 14 | 3.5 | 160 |
| 6AB75-2M | 2.5 | 14-18 | 4.0 | 190 |
| 6AB90-2M | 3 | 14-25 | 4.0 | 210 |
| 6AB120-2M | 4 | 14-25 | 5.0 | 260 |

Removal Process:

 A soft sodium or potassium ion is used to remove hard water ions of calcium and magnesium scale, as well as the staining ions of iron and manganese

Application Benefits:

- 5 ppm removal of iron and manganese (must be in solution)
- Metered units are set to regenerate upon water consumption which offers environmental and economical use of sodium or potassium

Required Conditions:

- Total iron and manganese must be less than 5 ppm
- Iron and manganese must be in solution (clear)
- 6AB softeners are not filters. If a filter is required, refer to one of many AquaBubble™ filters



